

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 10/26/2018

SECTION 1: Identification 1.1. Identification Product form : Substance Substance name : Dalmatian Sage Oil CAS-No. : 84082-79-1 Product code : 118 Synonyms : Salvia officinalis Recommended use and restrictions on use 1.2. No additional information available 1.3. **Supplier Appalachian Valley Natural Products** 260 Maple St PO Box 515

Friendsville MD 21531 (301)746-4630 **GOÁVNP.COM**

1.4. **Emergency telephone number**

Emergency number

: ChemTel: 1-800-255-3924 (Domestic) 1-813-248-0585 (International)

SECTION 2: Hazard(s) identification

Classification of the substance or mixture 2.1.

GHS-US classification

Flammable liquids Category 3	H226	Flammable liquid and vapour
Skin corrosion/irritation Category 2	H315	Causes skin irritation
Skin sensitization, Category 1	H317	May cause an allergic skin reaction
Aspiration hazard Category 1	H304	May be fatal if swallowed and enters airways
Hazardous to the aquatic environment - Acute Hazard Category 2	H401	Toxic to aquatic life
Hazardous to the aquatic environment - Chronic Hazard Category 2	H411	Toxic to aquatic life with long lasting effects

Full text of H statements : see section 16

GHS Label elements, including precautionary statements 2.2.

GHS-US labeling

Hazard pictograms (GHS-US)

Hazard pictograms (GHS-US)	
Signal word (GHS-US)	: Danger
Hazard statements (GHS-US)	 H226 - Flammable liquid and vapour H304 - May be fatal if swallowed and enters airways H315 - Causes skin irritation H317 - May cause an allergic skin reaction H401 - Toxic to aquatic life H411 - Toxic to aquatic life with long lasting effects
Precautionary statements (GHS-US)	 P210 - Keep away from heat/sparks/open flames/hot surfaces No smoking. P233 - Keep container tightly closed. P240 - Ground/Bond container and receiving equipment P241 - Use explosion-proof electrical/ventilating/lighting equipment P242 - Use only non-sparking tools. P243 - Take precautionary measures against static discharge. P261 - Avoid breathing dust/fume/gas/mist/vapors/spray.
10/26/2018	EN (English US)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P264 - Wash hands, forearms and face thoroughly after handling. P272 - Contaminated work clothing must not be allowed out of the workplace P273 - Avoid release to the environment. P280 - Wear protective gloves/protective clothing/eye protection/face protection. P301+P310 - If swallowed: Immediately call a poison center or doctor P302+P352 - If on skin: Wash with plenty of water P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower P321 - Specific treatment (see supplemental first aid instruction on this label) P331 - Do NOT induce vomiting. P332+P313 - If skin irritation occurs: Get medical advice/attention. P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P362+P364 - Take off contaminated clothing and wash it before reuse. P363 - Wash contaminated clothing before reuse. P370+P378 - In case of fire: Use media other than water to extinguish. P391 - Collect spillage. P403+P235 - Store in a well-ventilated place. Keep cool. P405 - Store locked up. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1	
	Substances

Name	Product identifier	%	GHS-US classification
Dalmatian Sage Oil (Main constituent)	(CAS-No.) 84082-79-1	100	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 2, H401 Aquatic Chronic 2, H411

Full text of hazard classes and H-statements : see section 16

3.2. Mixtures

Not applicable	
SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Call a physician immediately.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Do NOT induce vomiting. Call a physician immediately.
4.2. Most important symptoms and effe	cts (acute and delayed)
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.
Symptoms/effects after ingestion	: Risk of lung edema.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTIC	SECTION 5: Fire-fighting measures			
5.1.	Suitable (and unsuitable) extinguishing media			
Suitable	extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.		
5.2.	Specific hazards arising from the cher	mical		
Fire haz	ard	: Flammable liquid and vapour.		
Reactivit	ty	: Flammable liquid and vapour.		

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

5.3. Special protective equipment and precautions for fire-fighters			
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.		
SECTION 6: Accidental re	lease measures		
6.1. Personal precautions,	Personal precautions, protective equipment and emergency procedures		
6.1.1. For non-emergency pe	rsonnel		
Emergency procedures	: Ventilate spillage area. NO open flames, NO sparks, and NO smoking. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.		
6.1.2. For emergency respon- Protective equipment	ders : Do not attempt to take action without suitable protective equipment. For further information		
	refer to section 8: "Exposure controls/personal protection".		
6.2. Environmental precaut	ions		
Avoid release to the environment.			
	or containment and cleaning up		
For containment	: Collect spillage.		
Methods for cleaning up	: Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.		
Other information	: Dispose of materials or solid residues at an authorized site.		
6.4. Reference to other sec			
	ion 8 : Exposure-controls/personal protection"".		
SECTION 7: Handling and			
7.1. Precautions for safe hard Precautions for safe handling	: Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open		
	flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapors may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.		
Hygiene measures	: Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.		
7.2. Conditions for safe sto	rage, including any incompatibilities		
Technical measures	: Ground/bond container and receiving equipment.		
Storage conditions	: Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.		
SECTION 8: Exposure cor	trols/personal protection		
8.1. Control parameters			
No additional information available			
8.2. Appropriate engineerin	g controls		
Appropriate engineering controls	: Ensure good ventilation of the work station.		
Environmental exposure controls	: Avoid release to the environment.		
8.3. Individual protection m	easures/Personal protective equipment		
Hand protection:			
Protective gloves			
Eye protection:			
Safety glasses			
Skin and body protection:			
Wear suitable protective clothing			

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical an	d chemical properties
Physical state	: Mobile Liquid
Color	: Semi-Opaque, Colorless to Pale Yellow
Odor	: Wet, Light, Eucalyptus-like
Odor threshold	: No data available
рН	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 55 °C
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Not applicable.
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity			
10.1. Reactivity			
Flammable liquid and vapour.			
10.2. Chemical stability			
Stable under normal conditions.			
10.3. Possibility of hazardous reactions			
5	No dangerous reactions known under normal conditions of use.		
10.4. Conditions to avoid	10.4. Conditions to avoid		
Avoid contact with hot surfaces. Heat. No flames, No sparks. Eliminate all sources of ignition.			
10.5. Incompatible materials	10.5. Incompatible materials		
No additional information available			
10.6. Hazardous decomposition products	10.6. Hazardous decomposition products		
Under normal conditions of storage and use, hazardous decomposition products should not be produced.			
SECTION 11: Toxicological information			
11.1. Information on toxicological effects			
Acute toxicity	: Not classified		
Skin corrosion/irritation	: Causes skin irritation.		
Serious eye damage/irritation	: Not classified		
Respiratory or skin sensitization	: May cause an allergic skin reaction.		

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

: Not classified
. Not classified
: May be fatal if swallowed and enters airways.
Irritation. May cause an allergic skin reaction.Risk of lung edema.

SECT	ON 12: Ecological information		
12.1.	Toxicity		
Ecolog	gy - general	: Toxic to aquatic life with long lasting effects. Toxic to aquatic life.	
12.2.	Persistence and degradability		
No addi	tional information available		
12.3.	Bioaccumulative potential		
No addi	No additional information available		
12.4.	Mobility in soil		
No additional information available			
12.5.	Other adverse effects		
No addi	tional information available		

SECTION 13: Disposal consideratio	ns
13.1. Disposal methods	
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Additional information	: Flammable vapors may accumulate in the container.

SECTION 14: Transport information

Department of Transportation (DOT) In accordance with DOT		
Transport document description UN-No.(DOT)	: UN1169 Extr : UN1169	act
Proper Shipping Name (DOT)	: Extracts, aro	mat
Class (DOT)	: 3 - Class 3 -	Fla
Packing group (DOT)	: III - Minor Da	nge
Hazard labels (DOT)	: 3 - Flammabl	e li
	TAMMARE LIQUED	
Dangerous for the environment	: Yes	
Marine pollutant	: Yes	
	\sim	

DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx)

- cts, aromatic, liquid, 3, III
- atic, liquid
 - ammable and combustible liquid 49 CFR 173.120
- er
- liquid



EN (English US)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Special Provisions (49 CFR 172.102)	 B1 - If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this subchapter are applicable. IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672). T2 - 1.5 178.274(d)(2) Normal
DOT Packaging Exceptions (49 CFR 173.xxx)	: 150
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 60 L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 220 L
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Emergency Response Guide (ERG) Number	: 127
Other information	: No supplementary information available.
Transportation of Dangerous Goods	
Not applicable	
Transport by sea	
Transport document description (IMDG) UN-No. (IMDG) Proper Shipping Name (IMDG) Class (IMDG) Packing group (IMDG) Limited quantities (IMDG) Marine pollutant	 UN 1169 EXTRACTS, AROMATIC, LIQUID, 3, III 1169 EXTRACTS, AROMATIC, LIQUID 3 - Flammable liquids III - substances presenting low danger 5 L Yes
Air transport	
Transport document description (IATA) UN-No. (IATA) Proper Shipping Name (IATA) Class (IATA) Packing group (IATA) SECTION 15: Regulatory information	 UN 1169 Extracts, aromatic, liquid, 3, III 1169 Extracts, aromatic, liquid 3 - Flammable Liquids III - Minor Danger

15.1. US Federal regulations

Dalmatian Sage Oil (84082-79-1)

Not listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations

CANADA

Dalmatian Sage Oil (84082-79-1)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

No additional information available

SECTION 16: Other information

Full text of H-phrases:

H226	Flammable liquid and vapour
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H401	Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects

SDS US (GHS HazCom 2012)

Company Disclaimer:

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Appalachian Valley Natural Products shall not be held liable for any damage resulting from handling or from contact with the above product.